

WWSB

"WWSB" WHEEL WEIGHING PLATFORMS



Platforms designed for creating weighing stations for small sized vehicles (automobiles, carts, vans, etc.); particularly accurate and sturdy, with attention to details.



The best solution
for advanced industrial
applications

FEATURES

- Platform dimensions: 400x410mm. Height 58mm. Weight approximately 14,5kg.
- Loading surface: 400x300mm.
- Very handy.
- Sturdy structure, made with special aluminium, which guarantees lightness and makes these suitable also for harsh working conditions.
- Cable with quick connector, platform side.
- 10m cable for connecting the platform to the indicator, complete of connector.
- IP65 aluminium load cells.
- IP68 stainless steel load cells, in the WWSB versions with 6t and 8t capacity.
- Hermetic junction box with IP68 protection degree.
- Special vulcanised nonslip rubber applied under the platform, for good grip on all types of surfaces.
- Extremely simple and reliable connection of the scale to the weight indicator.
- Fitted with IP68 protection, with IP68 connector and PUR cable.
- The WWS platforms are patented; the number is 1.342.302.
- Available in legal for trade approved version.
- Available in high resolution version.
- Available upon price estimate in Atex version for 1&21 e 2&22 zones.

NOTES ABOUT THE LEGAL FOR TRADE APPROVED VERSIONS

- The platforms are for legal for trade use:
 - In the single-platform systems, not used to weigh vehicles.
 - In the wheel weighing systems in which the number of platforms is equal to the number of vehicle wheels.
 - In the axle weighing systems composed of one or more multiples of WWS platforms, except possible limitations of use for some European States.
- The CE-M legal for trade divisions indicated in the "version" table are available with ECEM option. ECEM option is needed for each legal for trade platform of the system.
- Legal for trade systems with more than one WWS, are fitted with the approval of the weight sum and related division:
Exemple for a 4 pads system
Single CE-M Platform: Max=1500kg and e=0,5kg
CE-M SUM: Max=6000kg and e=2kg

VERSIONS

Available versions:

Code	l x w x h (mm)	Max (kg)	d (kg)	M (kg)	d HR (kg)*
WWSB600	400x300x58	600	0,2	0,2	--
WWSB1500	400x300x58	1500	0,5	0,5	--
WWSB3T	400x300x58	3000	1	1	0,1
WWSB6TR2	400x300x58	6000	2	2	0,2
WWSB8TR2	400x300x58	8000	5	5	0,5

(*) These divisions are obtainable only with the relative options



www.diniargeo.com



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
Nogent-sur-Marne
info.fr@diniargeo.com

DINI ARGEO
GMBH
Sinsheim - Germany
info.de@diniargeo.com

DINI ARGEO
UK Ltd
Taunton - United Kingdom
info.uk@diniargeo.com

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
Shanghai - China
info.cn@diniargeo.com

DINI ARGEO
WEIGHBRIDGES
Calto (RO) – Italy
info@diniargeo.com



HEAD OFFICE

Via Della Fisica, 20
41042 Spezzano di Fiorano Modena - Italy
Tel. +39.0536 843418 Fax. +39.0536 843521
info@diniargeo.com

SERVICE ASSISTANCE

Via Dell'Elettronica, 15
41042 Spezzano di Fiorano Modena - Italy
Tel. +39.0536 921784 Fax. +39.0536 926654
service@diniargeo.com



SALES AND TECHNICAL ASSISTANCE SERVICE