

SBFP

"SBFP": ABS FEET FOR LOAD CELLS



ABS articulated feet with steel thread, for SBxx load cells. Extremely reduced height, particularly suitable for creating 4-cell platforms.

MAIN FEATURES

- Applicable on SBxx series' shear beam load cells.
- Designed especially for use on 4-cell platforms.
- Compact and simple to install, thanks to the reduced height.
- Adjustable height.
- Completely ABS construction, with steel thread.
- Non-slip rubber built into the base of the foot.





DINI ARGEO FRANCE sarl Nogent-sur-Marne DINI ARGEO **GMBH**

Sinsheim - Germany

DINI ARGEO UK Ltd

Taunton - United Kingdom

DINI ARGEO WEIGHING INSTRUMENTS Ltd

Shanghai - China

DINI ARGEO WEIGHBRIDGES Calto (RO) - Italy



HEAD OFFICE Via Della Fisica, 20 41042 Spezzano di Fiorano Modena - Italy







SC DATA SPEED SRL

STR DONATH N. 115/33 - 400331 - JUD. CLUJ Tel. 0040-264566473 Fax. 0040-364-815440 office@cantare.com.ro

 $SALES\ AND\ TECHNICAL\ ASSISTANCE\ SERVICE$