

## JBQAI

"JBQAI": EQUALISED JUNCTION BOX FOR ATEX ENVIRONMENTS



Stainless steel junction box with IP66 protection from water and dust, and fitted with an intrinsically safe electronic board for junction and equalisation of load cells. Terminal boards with screws for easing the connection of the load cells and signal adjustment trimmer, for an accurate and reliable equalisation. Marking:  
ATEX II 2G Ex ib IIC T6 Gb for gases.  
ATEX II 2D Ex tb IIIC T115°C Db IP65 for dust.

Working in cooperation with:

**SC DATA SPEED SRL**

STR DONATH N. 115/33 - 400331 - JUD. CLUJ  
Tel. 0040-264566473 Fax. 0040-364-815440  
office@cantare.com.ro

The best solution  
for advanced industrial  
applications

## TECHNICAL FEATURES

- Designed and made according to the ATEX 94/9/CE directive, group II category 2GD, according to the IEC/EN60079-0, IEC/EN60079-11, and IEC/EN60079-31 norms.
- Stainless steel case.
- Protection degree: IP66.
- Dimensions: 190x130x45mm (lxwxh).

NOTE: the dimensions are not compatibles for mounting on 4 load cells platforms/pallet weighers.

## ATEX PARAMETERS OF THE JUNCTION BOX

- $U_o = U_i = 24\text{Vdc}$
- $I_o = I_i = 174\text{mA}$
- $C_o = C_i = 0\text{mF}$
- $L_o = L_i = 0\text{mH}$

or

- $U_o = U_i = 12\text{Vdc}$
- $I_o = I_i = 3,33\text{A}$
- $C_o = C_i = 0\text{mF}$
- $L_o = L_i = 0\text{mH}$



www.diniargeo.com



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO  
FRANCE sarl  
Nogent-sur-Marne

DINI ARGEO  
GMBH  
Sinsheim - Germany

DINI ARGEO  
UK Ltd  
Taunton - United Kingdom

DINI ARGEO WEIGHING  
INSTRUMENTS Ltd  
Shanghai - China

DINI ARGEO  
WEIGHBRIDGES  
Calto (RO) – Italy



HEAD OFFICE  
Via Della Fisica, 20  
41042 Spezzano di Fiorano Modena - Italy



**SC DATA SPEED SRL**

STR DONATH N. 115/33 - 400331 - JUD. CLUJ

Tel. 0040-264566473 Fax. 0040-364-815440

office@cantare.com.ro

SALES AND TECHNICAL ASSISTANCE SERVICE