


## JCQ

"JCQ": EQUALISED JUNCTION CARDS FOR LOAD CELLS



Junction and equalisation cards for up to 10 load cells. Simple to install and connect thanks to the screw terminal boards and the signal adjustment trimmers.

Working in cooperation with:

**SC DATA SPEED SRL**

STR DONATH N. 115/33 - 400331 - JUD. CLUJ  
Tel. 0040-264566473 Fax. 0040-364-815440  
office@cantare.com.ro

The best solution  
for advanced industrial  
applications


## TECHNICAL FEATURES

- Maximum input voltage: 24Vdc.
- Maximum input current: 700mA.
- Maximum input load cell signal: 1000 mV.
- Temperature effect: 50ppm/°C.
- Fitted with Surge Arresters in the JC10Q version, against electric discharges and disturbances.

## DIMENSIONS:

- JC4Q: 107 x 60 (l x w) mm.
- JC10Q: 200 x 62 (l x w) mm.

## DETAIL 1



JC10Q: Junction and equalisation card with 10 inputs.



www.diniargeo.com



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

**DINI ARGEO**  
**FRANCE sarl**  
Nogent-sur-Marne

**DINI ARGEO**  
**GMBH**  
Sinsheim - Germany

**DINI ARGEO**  
**UK Ltd**  
Taunton - United Kingdom

**DINI ARGEO WEIGHING**  
**INSTRUMENTS Ltd**  
Shanghai - China

**DINI ARGEO**  
**WEIGHBRIDGES**  
Calto (RO) – Italy



**HEAD OFFICE**  
Via Della Fisica, 20  
41042 Spezzano di Fiorano Modena - Italy



**SC DATA SPEED SRL**

STR DONATH N. 115/33 - 400331 - JUD. CLUJ

Tel. 0040-264566473 Fax. 0040-364-815440

office@cantare.com.ro

**SALES AND TECHNICAL ASSISTANCE SERVICE**