

FLP-1

"FLP-1" SERIES LOW PROFILE PLATFORMS



Low profile platforms, with 500 mm ramps, painted steel structure and chequered load surface. Ideal for weighing trolleys and pallet trucks thanks to the on/off ramps on both sides as well as the sideboards. The standard version is provided with approved load cells.

Working in cooperation with:

SC DATA SPEED SRL


STR DONATH N. 115/33 - 400331 - JUD. CLUJ - ROMANIA
Tel. 0040-264566473 Fax. 0040-364-815440
office@cantare.com.ro

The best solution
for advanced industrial
applications

TECHNICAL FEATURES

- Fitted with 4 shear-beam 350Ohm nickel-plated steel load cells, approved according to OIML R60 C3 standards (3000 divisions), IP67 protection degree. Chequered steel structure and load surface, oven-fire painted, RAL 5007 blue.
- Adjustable, anti-shock jointed feet and level.
- Power supply from 5 to 15 Vdc.
- Hermetic junction box, IP67 wiring with shielded 5m long cable for connection to the indicator.
- Fitted with sideboards and double on/off ramps.
- Upon request:
 - platform calibration service with weight indicator;
 - 3000e CE-M approval (with first Periodic Check included, 3 years validity), to be combined always to the calibration service;
 - support column for indicator.

DETAIL 1



Installation example, with DFWL indicator and CSP38 column

VERSIONS

Versioni disponibili

Codice	l x w x h (mm)	N° celle	Max (kg)	d (g)	M (g)*
FLPC-1	800x800x52	4x250kg	600	200	200
FLPA-1	1000x1250x52	4x2000kg	1500	500	500
FLPB-1	1250x1500x52	4x2000kg	2000	1000	1000

(*) Divisioni ottenibili solo con le relative opzioni, in abbinamento a indicatore di peso Dini Argeo.



www.diniargeo.com



“YOUR WORLDWIDE PARTNER FOR WEIGHING,”

DINI ARGEO
FRANCE sarl
Nogent-sur-Marne

DINI ARGEO
GMBH
Sinsheim - Germany

DINI ARGEO
UK Ltd
Taunton - United Kingdom

DINI ARGEO WEIGHING
INSTRUMENTS Ltd
Shanghai - China

DINI ARGEO
WEIGHBRIDGES
Calto (RO) – Italy



HEAD OFFICE
Via Della Fisica, 20
41042 Spezzano di Fiorano Modena - Italy



SC DATA SPEED SRL

STR DONATH N. 115/33 - 400331 - JUD. CLUJ - ROMANIA

Tel. 0040-264566473 Fax. 0040-364-815440

office@cantare.com.ro

SALES AND TECHNICAL ASSISTANCE SERVICE